

BEST AVAILABLE COPY

Serial No. 09/960,449
Filed September 21, 2001
Amendment

Amendments to the Claims

Claims 1-4, 8-11, 13-17, 21-23, and 25 are pending in the application. Claim 1 has been amended.

This listing of claims will replace all previous listings of claims in this application:

Listing of Claims

1. (currently amended) A hydrogel wound dressing formed by spray delivery of a liquid composition to the wound, wherein the composition comprises water soluble PVA macromers having one or more pendant crosslinkable groups and the macromers crosslink to form a hydrogel *in situ* on the wound, wherein the pendant crosslinkable groups are acrylamide groups containing olefinically unsaturated groups, and wherein the composition includes a crosslinking initiator that is not bound to a macromer.
2. (original) The wound dressing of claim 1, wherein the hydrogel is degradable.
3. (original) The wound dressing of claim 1, wherein the composition is delivered via an aerosol delivery device.
4. (original) The wound dressing of claim 1, wherein the composition is delivered via a pump spray delivery device.
- 5-7. (cancelled)
8. (original) The wound dressing of claim 1, wherein the composition further contains one or more additives selected from the group consisting of preservatives, biologically active agents, defoamers, wetting agents, leveling agents, hydrating agents, thickeners, fillers, and absorbents.
9. (previously presented) The wound dressing of claim 8, wherein the active agent is selected from the group consisting of growth factors, nitric oxide, antibiotics, anti-inflammatories, analgesics, blood coagulants, and enzymes.
10. (original) The wound dressing of claim 8, wherein the active agent is one which delivers NO to the wound.
11. (original) The wound dressing of claim 1, wherein the dressing debrides the wound when it is removed.
12. (cancelled)

Serial No. 09/960,449
Filed September 21, 2001
Amendment

BEST AVAILABLE COPY

13. (previously presented) The wound dressing of claim 1, wherein the *in situ* crosslinking is in response to redox initiation.
14. (previously presented) A method of forming a hydrogel wound dressing, comprising the step of applying a composition to a wound via spray, wherein the composition comprises water soluble PVA macromers having one or more pendant crosslinkable groups and the macromers crosslink to form a hydrogel on the wound, wherein the pendant crosslinkable groups are acrylamide groups containing olefinically unsaturated groups.
15. (original) The method of claim 14, wherein the hydrogel is degradable.
16. (original) The method of claim 14, wherein the composition is delivered via an aerosol delivery device.
17. (original) The method of claim 14, wherein the composition is delivered via a pump spray delivery device.
- 18- 20. (cancelled)
21. (original) The method of claim 14, wherein the composition further contains one or more additives selected from the group consisting of preservatives, biologically active agents, defoamers, wetting agents, leveling agents, hydrating agents, thickeners, fillers, and absorbents.
22. (previously presented) The method of claim 21, wherein the active agent is selected from the group consisting of growth factors, nitric oxide, antibiotics, anti-inflammatories, analgesics, blood coagulants, and enzymes.
23. (original) The method of claim 21, wherein the active agent is one which delivers NO.
24. (cancelled)
25. (previously presented) The method of claim 14, wherein the *in situ* crosslinking is in response to redox initiation.
26. (cancelled)